

Legionella (clear pipes / taps)	weekly			Saltash Town Council (in house)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Legionella Tempertaure Checks/Records	monthly			Saltash Town Council (in house)						6				3					7				6			
Legionella Risk Assessment	Annual	N/A	07/03/24	H2H or Kovia Group																						
Saltash Town Centre - Fore Street																										
X6 Supply Points - Electrical Installation (EICR)	5 Yearly	07/07/23	07/07/208	Pyrimid Electrical / TJ Electrical																						
X6 Supply Points In-House Electrical Supply And Safety Inspection(s) IR And RCD Tests.	6 monthly	No Records	10/05/24	Saltash Town Council - In House (Michael Cotton)																						
Town Clock annual service	annual	28/11/23	28/11/24	Saltash Town Council (Michael Cotton)	07932429510 '07478663393	Michael	N/A																			
Speaker Sound System Electrical Safety Inspection (Low Voltage Not Needed)	6 monthly	No Records		In House (Serveive Deliver Department)																				7		
Speaker PA box PAT test	Annual	07/03/24	07/03/25	Saltash Town Council (Michael Cotton)																				6		
Speaker System Visual inspection form Ground Level	Monthly	06/03/24	04/04/24	In House (Serveive Deliver Department)						6				3					7					6		
Town Festoon Lighting Monthly Inspection from Ground Level	Monthly	06/03/24	04/04/24	In House (Serveive Deliver Department)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Ashton Way Play Area																										
Weekly Inspections	Weekly			In House (Serveive Delivery Department)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Quaterly Management Inspections	3-monthly	31/01/24	31/04/2024	In House (Serveive Deliver Department)														31								
Annual ROSPA Inspection	Annual	10/11/23	10/11/24	Zurich - Crimson										10												
Grassmere Way Play Areas																										
Weekly Inspections	Weekly			In House (Serveive Delivery Department)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Quaterly Management Inspections	3-monthly	31/01/24	31/04/2024	In House (Serveive Deliver Department)														31								
Annual ROSPA Inspection	Annual	10/11/23	10/11/24	Zurich - Crimson										10												
Honeysuckle Close Play Areas																										
Weekly Inspections	Weekly			In House (Serveive Delivery Department)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Quaterly Management Inspections	3-monthly	31/01/24	31/04/2024	In House (Serveive Deliver Department)														31								
Annual ROSPA Inspection	Annual	10/11/23	10/11/24	Zurich - Crimson										10												
Churchtown Allotments																										
Weekly Inspections	Weekly			in house						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Quaterly Management Inspections	3 Monthly			in house									27													
Weekly Inspections	Weekly			in house						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Legionella (clear pipes / taps)	Weekly			Saltash Town Council (in house)						6	13	20	27	3	10	17	24	31	7	14	21	28	6	13	20	27
Legionella Tempertaure Checks/Records	Monthly			Saltash Town Council (in house)						6				3					7				6			
Legionella Risk Assessment	Annual	N/A	07/03/24	H2H or Kovia Group																						
Grenfell Avenue Allotments																										

